


QSFP Single Fiber Bidirectional Original Product



Overview

NEC's 100G QSFP28 BiDi optical transceiver enables the transmission and reception of 100Gb/s high-speed data over a single optical fiber. Whether it's building a network or upgrading an existing network, the Cisco® QSFP-100G-B20U4-I and QSFP-100G-B20D4-I transceivers provide 100G connectivity for platforms at up to 20km on single SMF (Single Mode Fiber). ZR4 BiDi, using four. The Cisco® 40GBASE QSFP (Quad Small Form-Factor Pluggable) portfolio offers customers a wide variety of high-density and low-power 40 Gigabit Ethernet connectivity options for data center, high-performance computing networks, enterprise core and distribution layers, and service provider. The Quad Small Form-Factor Pluggable (QSFP) family represents a critical evolution in high-speed optical transceiver technology for data centers, telecommunications networks, and enterprise infrastructure.



Article Content

40G BiDi QSFP+: Single-fiber Bidirectional Transmission

The YXF-QP-M85L-01D is a four-channel pluggable LC duplex QSFP+ fiber optic transceiver for 40 Gigabit Ethernet applications. This transceiver is a high-performance module for

Cisco 40GBASE QSFP Modules Data Sheet

The Cisco QSFP 40-Gbps BiDirectional (BiDi) transceiver (Figure 1) is a pluggable optical transceiver with a duplex LC connector interface for short-reach data communication and interconnect

Optical Transceiver Buying Guide: SFP/QSFP Explained for

Understanding Fiber Compatibility: Single-Mode vs Multimode The choice between single-mode fiber (SMF) and multimode fiber (MMF) directly impacts the optical transceiver type: Multimode

Cisco 40/100Gb QSFP100 BiDi Pluggable Transceiver

The Cisco QSFP 40/100 Gb dual-rate BiDi transceiver can function as a 40Gb BiDi, matching its reach of 100m and 150m over OM3 and OM4 multi

Cisco 100GBASE QSFP-100G Modules Data Sheet

Product overview The Cisco® 100GBASE Quad Small Form-Factor Pluggable (QSFP) portfolio offers customers a wide variety of high-density and low-power 100 Gigabit Ethernet connectivity options for

Cisco 40GBASE QSFP Modules Data Sheet

Cisco QSFP-40G-SR-BD (40G BiDi) The Cisco QSFP 40-Gbps BiDirectional (BiDi) transceiver (Figure 1) is a pluggable optical transceiver with a duplex LC connector interface for short

40G BiDi QSFP+: Single-fiber Bidirectional Transmission

The interfaces of optical modules are mainly divided into single-fiber bidirectional BiDi and dual-fiber bidirectional (Duplex). In the wavelength division multiplexing system, the line transmission

40G QSFP+ Transceiver Modules | Optical

FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing

QSFP-40G-SRBD + Bidirectional Brand New Transceiver

The Arista QSFP-40G-SRBD is a high-performance, bidirectional optical transceiver module designed for short-range data communication. This module operates over duplex multimode fiber (MMF) and

100G QSFP28 BiDi : Optical Transceiver Module | NEC

100G QSFP28 LR1 BiDi/ER1 BiDi /ZR4 BiDi NEC's 100G QSFP28 BiDi optical transceiver enables the transmission and reception of 100Gb/s high-speed data

QSFP-100G-SR1.2 QSFP28 100GBASE-SR BiDi

QSFP-100G-SR1.2 BiDi is a parallel Quad Small Form-factor Pluggable (QSFP28) Bi-Direction optical module that supports 100 Gbps bit rates. The module

40GBASE-SR Bi-Directional QSFP+ 832nm

It is a Four-Channel, Pluggable, LC Duplex, Fiber-Optic QSFP+ Transceiver for 40 Gigabit Ethernet Applications. This transceiver is a high performance module for short-range duplex data

QSFP-40G-SR-BD (Single-Fiber-Bidirectional Module)

This document provides an overall description of the CE5800& 6800& 7800& 8800 series switches hardware that versions earlier than V200R020C00, helping you obtain detailed information about

Cisco 100GBASE QSFP-100G Modules Data Sheet

The Cisco QSFP-100G-SM-SR QSFP module supports link lengths of up to 2 kilometers over a standard pair of G.652 Single-Mode Fiber (SMF) with duplex LC connectors.

Comprehensive Guide to QSFP - MapYourTech

QSFP Family Evolution QSFP+ (Original Quad Small Form-Factor Pluggable) The original QSFP+ module supports 4 lanes of 10 Gbps

What is QSFP & QSFP+ Transceiver: An Ultimate

In the initial MSA, QSFP supports 4x1G speeds, which are suitable for Gigabit Ethernet, Fiber Channel, and InfiniBand (SDR and DDR)

Understanding 100G Single Fiber QSFP28 Module for

100G single fiber QSFP28 modules enable fast, cost-effective network upgrades using one fiber strand, ideal for scalable modern data centers.

QSFP-40G-SR-BD | Cisco Transceiver Module

It enables 40G Ethernet over existing duplex multimode fiber using two wavelengths on a single fiber pair, simplifying migration from 10G to 40G without requiring new cabling infrastructure.

100G QSFP28 / SFP-DD Modules and Cables FAQ | FS

The 100G BiDi transceiver refers to the QSFP28 single-mode fiber bidirectional optical module applied to 100G Ethernet. Each optical port on the QSFP28 BiDi contains both a transmitter and receiver,

100G Over Single Fiber, Simplified | ProLabs

Our QSFP28 Bidirectional (Bidi) transceivers delivers high-speed 100G connectivity over a single strand of fiber, with reach options up to 70km

QSFP single -mode and multi -mode fiber jump line

QSFP (Quad Small Form-factor Pluggable) modules are commonly used in networking devices to provide high-speed connectivity over optical fiber. QSFP

Introduction of QSFP-40G-SR-BD Modules

QSFP-40G-SR-BD operates on two different wavelengths, enabling stable transmission over a single fiber strand for both directions. It utilizes

QSFP-40G-SR-BD Transceiver Module | High

Cisco Original | 40 Gig | 40GBase-SR | QSFP+ | BiDi | Hot-Swappable | Refurbished | QSFP-40G-SR-BD The QSFP-40G-SR-BD Quad Small Form

ProductSpecification

Description The 40G-QSFP-SR-BD is a high-performance, four-channel, pluggable QSFP+ transceiver designed for short-range duplex data communication and interconnect applications in 40 Gigabit

Comprehensive Guide to QSFP – MapYourTech

The original QSFP+ module supports 4 lanes of 10 Gbps transmission for a total aggregate bandwidth of 40 Gbps. It was designed as a

QSFP-40G-SR-BD

The "BD" stands for "bi-directional," meaning that it supports transmission and reception on a single fiber strand. The QSFP-40G-SR-BD module uses a multi

QSFP-40G-SR-BD | Cisco Transceiver Module

The Cisco QSFP-40G-SR-BD is a 40G bidirectional transceiver that enables high-speed connectivity over existing duplex multimode fiber (MMF). Using two wavelengths on a single fiber pair, it supports

Fiberworks Data Sheet

QSFP-40G-LR4 40G Ethernet QSFP+ for singlemode fiber DESCRIPTION The QSFP-40G-LR4 transceiver is a Quad Small Formfactor Pluggable module for bi-directional serial optical data

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://kwsaevents.co.za>

Email: sales@kwsaevents.co.za

Phone: +27 21 852 4719

Address: 25 Riebeek Street, Cape Town, 8001, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

